

INDUSTRIAL COMPONENT DATA

060459 LEGRAND HUBLOT 100W WHITE IP44

Brand: LEGRAND | Manufacturer Part Number: 060459



Manufacturer	LEGRAND
MPN / Reference	060459
Catalog number	060459
Category	HUBLOTS
Minimum order	10 units
Document ID	EO-6B53737531
Generated	2026-07-31

Product Overview

060459 LEGRAND HUBLOT 100W WHITE IP44

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Suitable for ceiling mounting (EF021180)	Yes
Lamp type (EF002423)	Incandescent lamp
With control gear (EF007556)	No
Suitable for surface mounting (EF007793)	Yes
Compatible with Apple HomeKit (EF014925)	No
Material cover (EF004284)	Plastic opal
Compatible with Amazon Alexa (EF014927)	No
Light distribution (EF004283)	Asymmetric
Compatible with Google Assistant (EF014926)	No
Light outlet (EF004282)	Direct
With light sensor (EF001203)	No
Max. system power (EF009347)	70 W
Colour temperature (EF009346)	2700 K
Nominal current (EF009345)	304 mA
Impact strength (EF004293)	IK07
Dimming DSI (EF012188)	No
Protection class according to IEC 61140 (EF000004)	II

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Height/depth (EF001456)	105 mm
Width (EF000008)	230 mm
Built-in length (EF004265)	230 mm
Degree of protection (IP) (EF005474)	IP44
Voltage type (EF000187)	AC
Light distributor (EF012170)	Diffuser
With light source (EF005905)	No
With movement sensor (EF000197)	No
Suitable for emergency lighting (EF004275)	No
Nominal voltage (EF005127)	110 V
Dimming manufacturer's proprietary system (EF012159)	No
Suitable for light line configuration (EF004274)	No
IFTTT support available (EF011072)	No
Dimming phase cut-on (leading edge) (EF012162)	No
Dimming programmable (EF012163)	No
Dimming RF (EF012164)	No
Dimming Sine Wave Reduction (EF012165)	No
Dimming Touch and Dim (EF012166)	No
Dimming Zigbee (EF012167)	No
Dimming with push-button (EF012168)	No
Length (EF001438)	230 mm
Dimming mains voltage modulation (EF012160)	No
Dimming phase cut-off (trailing edge) (EF012161)	No
Covering of the luminaire with thermally insulating material possible (EF006423)	No
Type of grid (EF000282)	None
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)	No
Colour rendering index CRI (EF000442)	90-100
With air slots (EF009372)	No
Suitable for lamp power (EF000280)	70 W
Dimming 0-10 V (EF012152)	No
Dimming 1-10 V (EF012153)	No
Dimming DALI (EF012154)	No

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Dimming DMX (EF012155)	No
Dimming potentiometer (integrated) (EF012156)	No
Dimming LineSwitch (EF012158)	No
Suitable for suspended mounting (EF001265)	No
Suitable for number of light sources (EF006436)	1
Lamp holder (EF000048)	E27
Type of control gear (EF000381)	Not required
Housing material (EF001596)	Plastic
Suitable for workplace according to EN 12464-1 (EF007694)	No
Suitable for built-in mounting (EF006760)	No
Colour of light (EF009350)	White
Outer diameter (EF000015)	230 mm
Housing colour (EF000136)	White
Rated ambient temperature according to IEC 62722-2-1 (EF012090)	-10 °C
Beam angle (EF008157)	Extreme wide beam >80°
Suitable for wall mounting (EF000664)	Yes

Classification & Catalog Path

Catalog path	LEGRAND > HUBLOTS
--------------	-------------------

Additional Product Information

Pack (number of units)10

Volume (dm3)66.185

Weight (g)5 345.00

Product characteristicsIP 44 - IK 07 round bulkhead lights

Polypropylene base

For 23 W compact fluorescent lamps

Diffuser is assembled by a 1/4 turn rotation

Porcelain lampholder

White

E 27

Polycarbonate diffuser

General characteristicsIP 44/54/55 weatherproof bulkhead lights - For domestic, commercial areas and tough environments

ETIM for 060459 Luminaires (EC002892)

Feature Name

Feature Value

Suitable for ceiling mounting (EF021180)

Yes

Lamp type (EF002423)

Incandescent lamp

With control gear (EF007556)

No

Suitable for surface mounting (EF007793)

Yes

Compatible with Apple HomeKit (EF014925)

No

Material cover (EF004284)

Plastic opal

Compatible with Amazon Alexa (EF014927)

No

Light distribution (EF004283)

Asymmetric

Compatible with Google Assistant (EF014926)

No

Light outlet (EF004282)

Direct

With light sensor (EF001203)

No

Max. system power (EF009347)

70 W

Colour temperature (EF009346)

2700 K

Nominal current (EF009345)

304 mA

Impact strength (EF004293)

IK07

Dimming DSI (EF012188)

No

Protection class according to IEC 611...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 060459 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.