

INDUSTRIAL COMPONENT DATA

069617 LEGRAND PL-COMP E/S CREPUSC 1400W WHITE

Brand: LEGRAND | Manufacturer Part Number: 069617



Manufacturer	LEGRAND
MPN / Reference	069617
Catalog number	069617
Category	Twilight switch
Minimum order	1 Pcs
Document ID	EO-5E58A2DF83
Generated	2026-07-29

Product Overview

PL-COMP E/S CREPUSC 1400W WHITE

Inter. twilight Plexus modular white - 1400 W

Plexo Twilight Switch Modular White - 1400W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > AUTONOMOUS LIGHTING MANAGEMENT

Additional Product Information

Product features

On twilight - IP 55 - IK 07 - Clamps with screws and twilight Switches - On the light from dusk and off at dawn - Set monobloc with photoelectric cell integrated - 1400 W incandescent - 400 VA fluorescent - brightness Threshold adjustable from 0,5 to 1500 lux - White General characteristics

Plexus - Mechanisms watertight IP 55 - composable - bases of current and differential bases - The mechanisms are supplied with front finishing - Installation boxes for surface or with bracket plates-in wardrobes

ETIM for 069617 Domestic wiring accessories and controls (EC000189)

Feature Name

Feature Value

Height (EF000040)

64 mm

Material (EF002169)

Plastic

Surface finishing (EF006569)

Matt
Halogen free (EF000025)
Yes
Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Surface mounted
Nominal voltage (EF000002)
250 V
Transparent (EF006243)
No
Compatible with Apple HomeKit (EF014925)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Max. switching current (resistive load) (EF001325)
5.6 A
Surface protection (EF000139)
Untreated
Max. switching power (EF001503)
1400 W
Type of sensor (EF003948)
Built-in light sensor
Switching-off brightness (EF003825)
0.5 lx
Switch-off delay (EF000194)
45 s
Engaging brightness (EF003841)
0.5 lx
Suitable for degree of protection (IP) (EF006755)
IP55
Operating temperature (EF002393)
-5 °C
Switching-on delay (EF000193)
45 s
IFTTT support available (EF011072)
No
Depth (EF000049)
47 mm
Swi...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 069617 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.