

INDUSTRIAL COMPONENT DATA**076502 LEGRAND MOSAIC RJ45X2 C5 UTP 2M 45D**

Brand: LEGRAND | Manufacturer Part Number: 076502



Manufacturer	LEGRAND
MPN / Reference	076502
Catalog number	076502
Category	Data communication connection box copper (twisted pair)
Minimum order	5 Pcs
Document ID	EO-1E24A3C37F
Generated	2026-07-28

Product Overview

MOSAIC RJ45X2 C5 UTP 2M 45D

Double RJ45 socket inclined 45° category 5e UTP 2 modules Mosaic white

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **LEGRAND > RJ45 CONNECTORS****Additional Product Information**

Surface mounting No

Flush mounting Yes

Duct Installation Yes

Ground-mounted/underground box Yes

Attachment Type Lock in position

Type of mounting Basic element with center cover plate, Recessed mounted (plaster)

Connector Type RJ45 8(8)

With sockets/couplings Yes

Suitable for the number of sockets/couplings 2

category 5E

Colour White

RAL number 9003

Connection Method Insulation Displacement Connector

Shielded plugs No

Separate grounding connection No

With text box Yes
Separate cable strain relief No
Shielding Connection Mount Type none
Exit Address Inclined
With dust protection No
Protection Class (IP) IP20
Color coding Yes
Device width 45 mm
Device height 45 mm
Device Depth 40.7 mm
Number of modules (in case of modular design) 2
Installation Depth 25.1 mm
Impact resistance IK03
Operating Temperature -40-70 °C
Storage temperature -40-70 °C
Display of markings on the connection terminals Yes
Halogen-free Yes
Antibacterial treatment No
Tube diameter for wall-mounted product 0-0 mm
Maximum cable entry diameter 9 mm
Type of cable entry feedthroughs Not applicable
Distance between vertical clamping centers 0-0 mm
Distance between horizontal clamping centers 0-0 mm
Cable Holder Not applicable
ETIM for 076502 Data networking products (EC001264)
Feature Name
Feature Value
Duct installation (EF002440)
Yes
With dust cover (EF003893)
No
Colour coding (EF007758)
Yes
Degree of protection (IP) (EF005474)
IP20
With label space (EF003456)
Yes
Shielded buses (EF002444)
No
Separate earthing c...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 076502 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.