

**INDUSTRIAL COMPONENT DATA**

# 076524 LEGRAND RJ45 CAT6A STP MOSAIC VERT

Brand: LEGRAND | Manufacturer Part Number: 076524



|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Manufacturer    | LEGRAND                                                 |
| MPN / Reference | 076524                                                  |
| Catalog number  | 076524                                                  |
| Category        | Data communication connection box copper (twisted pair) |
| Minimum order   | 10 Pcs                                                  |
| Document ID     | EO-9B99CE783F                                           |
| Generated       | 2026-07-31                                              |

## Product Overview

RJ45 CAT6A STP MOSAIC VERT

RJ45 socket with green shutter category 6A STP 2 modules Mosaic white

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **LEGRAND > RJ45 CONNECTORS**

## Additional Product Information

Surface mounting No

Flush mounting Yes

Duct Installation Yes

Ground-mounted/underground box Yes

Attachment Type Lock in position

Type of mounting Basic element with center cover plate, Recessed mounted (plaster)

Connector Type RJ45 8(8)

With sockets/couplings Yes

Suitable for the number of sockets/couplings 1

category 6A (IEC)

Colour White

RAL number 9003

Connection Method Insulation Displacement Connector

Shielded plugs Yes

Separate grounding connection No

With text box Yes  
Separate cable strain relief No  
Shielding Connection Mount Type Other  
Exit Address Straight  
With dust protection Yes  
Protection Class (IP) IP20  
Color coding Yes  
Device width 45 mm  
Device height 45 mm  
Device Depth 46.5 mm  
Number of modules (in case of modular design) 2  
Installation Depth 31 mm  
Impact resistance IK03  
Operating Temperature -40-70 °C  
Storage temperature -40-70 °C  
Display of markings on the connection terminals Yes  
Halogen-free Yes  
Antibacterial treatment No  
Tube diameter for wall-mounted product 0-0 mm  
Maximum cable entry diameter 9 mm  
Type of cable entry feedthroughs Not applicable  
Distance between vertical clamping centers 0-0 mm  
Distance between horizontal clamping centers 0-0 mm  
Cable Holder Not applicable  
ETIM for 076524 Data networking products (EC001264)  
Feature Name  
Feature Value  
Duct installation (EF002440)  
Yes  
With dust cover (EF003893)  
Yes  
Colour coding (EF007758)  
Yes  
Degree of protection (IP) (EF005474)  
IP20  
With label space (EF003456)  
Yes  
Shielded buses (EF002444)  
Yes  
Separate e...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 076524 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.