

INDUSTRIAL COMPONENT DATA

077512 LEGRAND MO-2P+T IT P30 16A +2M BL

Brand: LEGRAND | Manufacturer Part Number: 077512



Manufacturer	LEGRAND
MPN / Reference	077512
Catalog number	077512
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-4F6AFF85F3
Generated	2026-07-29

Product Overview

MO-2P+T IT P30 16A +2M BL

Socket outlet Mosaic - italian - 2P+E 16 A -screw terminals - 1 module - white

Mosaic power base - Italian standard - 2P+T - 2mod - 16A - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > MOSAIC, ARTEOR AND CELIANE MECHANISMS

Additional Product Information

Pack (number of units)10

Volume (dm3)1.634

Weight (g)453.00

Product characteristicsOther standard socket outlets

German-Italian standard

2 modules - 16 A - screw terminals

Not compatible with a 2-module support

General characteristicsMosaic™ Programme mechanisms - international standards socket outlets

ETIM for 077512 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A
Rotated central insert (EF001331)
No
Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Module frame/grid
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwed terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
9003
Model (EF000010)
Italian type P30
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP41
Device depth (EF008810)
41 mm

Impact strength (EF004293)

IK04

Anti-bacterial treatment (EF023790)

No

Protective contact (EF017116)

Other

Device width (EF0088...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 077512 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.