

INDUSTRIAL COMPONENT DATA

077867 LEGRAND SL-PILOT BEACON LED

Brand: LEGRAND | Manufacturer Part Number: 077867



Manufacturer	LEGRAND
MPN / Reference	077867
Catalog number	077867
Category	Information light signal for domestic switching devices
Minimum order	1 Pcs
Document ID	EO-1CE8C28B75
Generated	2026-07-29

Product Overview

SL-PILOT BEACON LED

Passage lighting Soliroc - for lighting a staircase 250 V~ - IP55 - 5 modules

Soliroc beacon pilot - 250V~ IK10 - IP55 - White LEDs 2W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > SOLIROCO MECHANISMS

Additional Product Information

Pack (number of units)1

Volume (dm3)1.189

Weight (g)465.00

Product characteristicsPassage lighting - IK 10 - IP 55

For lighting a staircase, etc 250 V~

Supplied complete with :

Soliroc plate 5 modules

1 set of 4 blanking plates that can be removed by drilling

Mechanism: screw fixing in flush-mounting boxes, depth 40 mm

Supplied with :

16 white LEDs (2 W)

1 x 5 modules Batibox support

General characteristicsSoliroc™ - control mechanisms IK 10Suitable for public buildings, unsupervised passageways, car parks, communal areas in buildings

High resistance to IK 10 impacts and humidity

4 fixing points by plugging the plate directly on the wall and 4 blanking plates to be force-mounted on the plate (can only be removed by drilling)

Mechanisms supplied with cover plates, to be equipped with support frames and plates

ETIM for 077867 Domestic wiring accessories and controls (EC000064)

Feature Name

Feature Value

Max. lamp power (EF000260)

2 W

Material (EF002169)

Metal

Surface finishing (EF006569)

Matt

Material quality (EF001257)

Other

Halogen free (EF000025)

Yes

Mounting method (EF000003)

Flush mounted

Nominal voltage (EF000002)

230 V

Transparent (EF006243)

Yes

Colour light source (EF001402)

White

Surface protection (EF000139)

Metallic

With light source (EF005905)

Yes

With fixed symbol/imprint (EF007949)

Yes

With flashlight (EF006575)

No

Suitable for degree of protection (IP) (EF006755)

IP55

Device depth (EF008810)

49 mm

Device width (EF008808)

181 mm

Assembly arrangement (EF000005)

Co...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 077867 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.