

INDUSTRIAL COMPONENT DATA

078761 LEGRAND MO-BASE USB2.0 1M TORN BL

Brand: LEGRAND | Manufacturer Part Number: 078761



Manufacturer	LEGRAND
MPN / Reference	078761
Catalog number	078761
Category	Insert/cover for communication technology
Minimum order	1 Pcs
Document ID	EO-ED7FA9A4A2
Generated	2026-07-31

Product Overview

MO-BASE USB2.0 1M TORN BL
MO-BASED USB2.0 1M BL TORN
USB socket Mosaic - 1 module - white
Mosaic database - USB 3. 0 female - 1mod - bolt connection - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > VARIOUS VDI
--------------	-----------------------

Additional Product Information

Pack (number of units)1
Volume (dm3)0.547
Weight (g)35.00
Product characteristicsUSB data sockets - for data transfer
Used to bring connections closer to the user
For connecting USB devices (scanner-printer, external hard disk)
Max. cable length: 5 m
Recommended cable: USB A
1 module
Connection via screw terminals - USB 2.0
Max. cable length: 5 m
Recommended cable: USB A USB 2.0. Cross-section: 1 mm²
White

Mosaic :

General characteristics Mosaic™ Programme mechanisms - SUB D socket, USB data sockets and USB extender

ETIM for 078761 Domestic wiring accessories and controls (EC000018)

Feature Name

Feature Value

With dust cover (EF003893)

No

Material (EF002169)

Plastic

Shielded buses (EF002444)

No

Surface finishing (EF006569)

Matt

Shielded housing (EF002445)

No

Type of fastening (EF002442)

Engage (snap)

Material quality (EF001257)

Thermoplastic

Halogen free (EF000025)

Yes

Mounting method (EF000003)

Flush mounted

With imprint (EF004048)

Yes

Number of modules (module system) (EF009573)

1

Transparent (EF006243)

No

Luster terminal (EF003868)

No

With hinged lid (EF000117)

No

With strain relief (EF000878)

No

Support ring (EF005709)

No

Utilization (EF000133)

USB

Suitable for degree of protection (IP) (EF006755)

IP40

Anti-bacterial treatment (EF023790)

No

Impact strength (EF004293)

IK04

Imprintable label (EF001519)

Without indication field

Device width (EF008808)

22.5 mm

Assembly arrangement (EF000005)

Basic unit with central cover plate

Device height (EF008809)

45 mm

Outlet direction (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 078761 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.