

INDUSTRIAL COMPONENT DATA**079171L LEGRAND MO-BASE 2P+T USB C 2M NM +SOP**

Brand: LEGRAND | Manufacturer Part Number: 079171L



Manufacturer	LEGRAND
MPN / Reference	079171L
Catalog number	079171L
Category	Socket outlet
Minimum order	1 Pcs
Document ID	EO-FE33832B3D
Generated	2026-08-02

Product Overview

MO-BASE 2P+T USB C 2M NM +SOP

Mosaic power base - 2P+T Schuko - USB Type C - with stand - 2 mód. - Matte black

Mosaic Power Base - 2P+T - 2mod - USB C - with stand - Matte Black

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **LEGRAND > MOSAIC, ARTEOR AND CELIANE MECHANISMS****Additional Product Information**

Product features

Mosaic 2P+T coriente bases with USB Type-C charger base - 16A - 250V Automatic terminals With protection shutters With built-in support 2 modules Matte black General features

Mosaic - Current bases

ETIM for 079171L Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
Other
Connection type (EF000124)
Screwless terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
1
Min. depth of built-in installation box (EF012278)
40 mm
Imprint/indication (EF003823)
Other
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP40
Device depth (EF008810)
44.5 mm
Impact strength (EF004293)
IK04
Anti-bacterial treatment (EF023790)
No

Number of active contacts (square) (EF017115)

0

Protective contact (EF017116)

Other

Device width (EF008808)

74 m...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 079171L with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.