

INDUSTRIAL COMPONENT DATA

079355L LEGRAND MO-BASE 2P+T 2M NM AUTO

Brand: LEGRAND | Manufacturer Part Number: 079355L



Manufacturer	LEGRAND
MPN / Reference	079355L
Catalog number	079355L
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-F65F412D1E
Generated	2026-07-29

Product Overview

MO-BASE 2P+T 2M NM AUTO

Mosaic current base - 2P+T - automatic terminals - 2 mód. - Matte Black

Mosaic Power Base - 2P+T - 2mod - At 45° Angle - Matte Black

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > MOSAIC, ARTEOR AND CELIANE MECHANISMS

Additional Product Information

Product features

Mosaic 2P+T coriente bases - 16A - 250V Automatic bornes With protection shutters 2 modules Matte black For installation in recessed box, surface, floor box, column, pop-up, block or channel General features

Mosaic - Current bases

ETIM for 079355L Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

Yes

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwless terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
40 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
43 mm
Impact strength (EF004293)
IK04
Anti-bacterial treatment (EF023790)
No

Number of active contacts (square) (EF017115)

0

Protective contact (EF017116)....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 079355L with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.