

INDUSTRIAL COMPONENT DATA

079394 LEGRAND MO-BASE 2XUSB 2M TO THE

Brand: LEGRAND | Manufacturer Part Number: 079394



Manufacturer	LEGRAND
MPN / Reference	079394
Catalog number	079394
Category	USB power supply
Minimum order	1 Pcs
Document ID	EO-C227A7662A
Generated	2026-07-29

Product Overview

MO-BASE 2XUSB 2M TO THE

Double USB socket Mosaic - 5 V - 1500 mA - 2 modules - alu
Button plate

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > MOSAIC, ARTEOR AND CELIANE MECHANISMS
--------------	---

Additional Product Information

Pack (number of units)1

Volume (dm3)0.266

Weight (g)63.00

Product characteristicsUSB charging sockets Type-A

For recharging portable devices

Conform to IEC 62684-2011-01

Surge protection greater than 1 kV

Consumption in passive mode less than 0.07 W

Power supply AC/DC efficiency at highest level (VI)

2 x 2.5 mm² screw terminals

Class II SELV

Supplied cordless

Double USB Type-A sockets - 5 V - 2.4 A - 12 W

For fast charging smartphones and tablets PC

2 modules

Alu

Can be installed in receptacles for floor sockets

General characteristics Mosaic™ Programme mechanisms - USB charging sockets

ETIM for 079394 Domestic wiring accessories and controls (EC002949)

Feature Name

Feature Value

Model (EF000010)

Other

Mounting method (EF000003)

Flush mounted

Suitable for degree of protection (IP) (EF006755)

IP40

Connection type (EF000124)

Screwed terminal

Operating voltage (EF003983)

100 V

Device depth (EF008810)

42 mm

Impact strength (EF004293)

IK04

Anti-bacterial treatment (EF023790)

No

Number of ports USB-C (EF017049)

0

Min. depth of built-in installation box (EF012278)

40 mm

Output voltage (EF003933)

5 V

Power consumption (EF000346)

0.068 W

Device width (EF008808)

45 mm

Device height (EF008809)

45 mm

Colour (EF000007)

Aluminium

Number of ports USB-A (EF000997)

2

RAL-number (EF000116)

7040

Max. output current (EF001315)

3000 mA

Frequency (EF000416)

50 Hz

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 079394 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.