

INDUSTRIAL COMPONENT DATA

086025 LEGRAND OT-MBLOC 2P 16A/230V

Brand: LEGRAND | Manufacturer Part Number: 086025



Manufacturer	LEGRAND
MPN / Reference	086025
Catalog number	086025
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-6F412B1369
Generated	2026-08-02

Product Overview

OT-MBLOC 2P 16A/230V

2P+T shutter protection - Lookahead - monoblock - Terminal screws - white

2P+T base protection shutter - Oteo - monobloc - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LEGRAND > OTEO MECHANISMS**

Additional Product Information

Product features

Bases current 16 A - 2P+e with shutter protection - Terminals screws General characteristics

Oteo - Mechanisms of surface - monoblock - Mechanisms IP 2X protected against direct contact - 250 V~ - Include terminals open - white Finish RAL 9010

ETIM for 086025 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Surface mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
0 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
9003
Model (EF000010)
Other
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
28 mm
Impact strength (EF004293)
IK04

Anti-bacterial treatment (EF023790)

No

Number of active contacts (square) (EF017115)

0

Protecti...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 086025 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.