

INDUSTRIAL COMPONENT DATA**086031 LEGRAND OT-MBLOC 2P+T 16A/230V**

Brand: LEGRAND | Manufacturer Part Number: 086031



Manufacturer	LEGRAND
MPN / Reference	086031
Catalog number	086031
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-63B0E39B82
Generated	2026-07-29

Product Overview

OT-MBLOC 2P+T 16A/230V

Surface mounting socket outlet - German standard - 2P+E + shutters - 16 A 250 V~

Base 2P+T protection shutter - Oteo - 16A/230V - monobloc - White

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **LEGRAND > OTEO MECHANISMS****Additional Product Information**

Pack (number of units)10

Volume (dm3)2.811

Weight (g)780.00

Product characteristicsSocket outlets

2P+E socket outlet German standard 16 A - 250 V~ shuttered for child safety

General characteristicsSurface-mounting wiring accessories

ETIM for 086031 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Surface mounted

Special power supply (EF001334)

EV006426

Connection type (EF000124)

Screw terminal

Fault current protection (EF001333)

No

Nominal voltage (EF000002)

250 V

Number of modules (module system) (EF009573)

2

Compatible with Apple HomeKit (EF014925)

No

Eject-mechanism (EF001051)

No

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Number of ports USB-C (EF017049)

0

Min. depth of built-in installation box (EF012278)

0 mm

Imprint/indication (EF003823)

None

With hinged lid (EF000117)

No

Number of ports USB-A (EF000997)

0

Metallic colour (EF015260)

No

With Wi-Fi signal repeater (EF013509)

No

RAL-number (similar) (EF003882)

9003

Model (EF000010)

Socket outlet CEE 7/3 (type F)

Number of socket outlets switchable (EF008814)

0

Suitable for degree of protection (IP) (EF006755)

IP20

Device depth (EF008810)

42 mm

Impact strength (EF004293)

IK04

Anti-bacterial treatment (EF023790)

No

Number of active contacts (square) (EF017115)

0

Protective....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 086031 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.