

INDUSTRIAL COMPONENT DATA

091656 LEGRAND PL-MBL SUP 3P+T 20A GREY

Brand: LEGRAND | Manufacturer Part Number: 091656



Manufacturer	LEGRAND
MPN / Reference	091656
Catalog number	091656
Category	Socket outlet
Minimum order	5 Pcs
Document ID	EO-097FF4F6E0
Generated	2026-08-02

Product Overview

PL-MBL SUP 3P+T 20A GREY

Socket outlet Plexo IP55 - 20 A - 3P+E 230 V~ - surface mounting - grey

Plexo 20A wall base with watertight surface - 3P+T - IP55 - with cover - Gray

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > PLEXO-IDROBOX MECHANISMS

Additional Product Information

Pack (number of units)5

Volume (dm3)4.782

Weight (g)1 122.00

Product characteristicsSocket outlets 20 and 32 A

Screw terminals

Grey

20 A - IP 55 - IK 08

Compatible with membrane glands Cat.No 0 919 14

3P+E - 230 V~

General characteristicsPlexo™ - complete surface-mounting IP 55

ETIM for 091656 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

20 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Surface mounted

Special power supply (EF001334)

EV006426

Connection type (EF000124)

Screwed terminal

Fault current protection (EF001333)

No

Nominal voltage (EF000002)

400 V

Compatible with Apple HomeKit (EF014925)

No

Eject-mechanism (EF001051)

No

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Number of ports USB-C (EF017049)

0

Imprint/indication (EF003823)

Other

With hinged lid (EF000117)

Yes

Number of ports USB-A (EF000997)

0

Metallic colour (EF015260)

No

With Wi-Fi signal repeater (EF013509)

No

RAL-number (similar) (EF003882)

7016

Model (EF000010)

Other

Number of socket outlets switchable (EF008814)

0

Suitable for degree of protection (IP) (EF006755)

IP55

Device depth (EF008810)

65 mm

Impact strength (EF004293)

IK08

Anti-bacterial treatment (EF023790)

No

Protective contact (EF017116)

Round

Device width (EF008808)

90 mm

With on/off switch (EF000488)

No

Device height (EF008809)

90 mm

Colour (E...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 091656 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.