

INDUSTRIAL COMPONENT DATA

091657 LEGRAND PL-MBL SUP 3P+T+N 20A GREY

Brand: LEGRAND | Manufacturer Part Number: 091657



Manufacturer	LEGRAND
MPN / Reference	091657
Catalog number	091657
Category	Socket outlet
Minimum order	5 Pcs
Document ID	EO-DE01580781
Generated	2026-08-02

Product Overview

PL-MBL SUP 3P+T+N 20A GREY

Socket outlet Plexo IP55 - 20 A - 3P+N+E 230 V~ - surface mounting - grey

Plexo 20A wall base with waterproof surface - 3P+N+T - IP55 - with lid - Gray

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > PLEXO-IDROBOX MECHANISMS

Additional Product Information

Pack (number of units)5

Volume (dm3)4.565

Weight (g)1 161.00

Product characteristicsSocket outlets 20 and 32 A

Screw terminals

Grey

20 A - IP 55 - IK 08

Compatible with membrane glands Cat.No 0 919 14

3P+N+E - 230 V~

General characteristicsPlexo™ - complete surface-mounting IP 55

ETIM for 091657 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No
Nominal current (EF000001)
20 A
Rotated central insert (EF001331)
No
Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Surface mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwed terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
400 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Imprint/indication (EF003823)
Other
With hinged lid (EF000117)
Yes
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
7016
Model (EF000010)
Earthing pin
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP55

Device depth (EF008810)

65 mm

Impact strength (EF004293)

IK08

Anti-bacterial treatment (EF023790)

No

Number of active contacts (square) (EF017115)

0

Protective contact (EF017116)

Flat...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 091657 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.