

INDUSTRIAL COMPONENT DATA

098000 LEGRAND CABLE GLAND IP68 ISO 12

Brand: LEGRAND | Manufacturer Part Number: 098000



Manufacturer	LEGRAND
MPN / Reference	098000
Catalog number	098000
Category	Cable gland
Minimum order	25 Pcs
Document ID	EO-93C36033D8
Generated	2026-07-28

Product Overview

CABLE GLAND IP68 ISO 12

Cable gland plastic - IP68 - ISO 12 - clamping capacity 3-6.5 mm - RAL 7001

Plastic cable glands - IP68 - ISO 12 - RAL 7001

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog pathLEGRAND > ACCESSORIES CONTROL AND CONTROL PANELS

Additional Product Information

Pack (number of units)25

Volume (dm3)1.06

Weight (g)174.00

Product characteristicsGrey RAL 7001 cable glands

Anti-vibration mechanically tightened cable gland with neoprene weatherproof seal for IP 68 protection

Locking part consisting of flexible blades which exert strong pressure on the cable thus giving the product excellent tensile strength

Supplied with surface seal and locking nut mounted

ISO

Conform to EN 50 262

ISO : 12

Clamping capacity Ø Min. : 3 mm

Clamping capacity Ø Max. : 6.5 mm

General characteristicsPlastic cable glands IP 68 - ISO and PG

ETIM for 098000 Cable glands and cable entry products (EC000441)

Feature Name

Feature Value

Flat cable coupling (EF004685)

No

For Ex-zone dust (EF008404)

None

Shock resistant (EF000084)

Yes

Degree of protection (IP) (EF005474)

IP68

Material (EF002169)

Plastic

Screened (EF000881)

No

Separable screw gland (EF005337)

No

Glass-fibre reinforced (EF001210)

No

Halogen free (EF000025)

Yes

Material quality (EF001257)

Polyamide (PA)

Snapping in opening (EF012547)

Yes

Operating temperature (EF001742)

-20 °C

Surface protection (EF000139)

Untreated

RAL-number (EF000116)

7001

With strain relief (EF000878)

No

Bend radius protection/trumpet flare (EF000734)

No

For Ex-zone gas (EF005728)

None

Multi seal area (EF005004)

No

Hexagon angular dimension (EF005268)

21 mm

Suitable for cable diameter (EF005466)

3 mm

Model (EF000010)

Straight

Wrench width (EF000177)

16 mm

With locknut (EF005049)

Yes

Explosion-tested version (EF004191)

No

EMC-version (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 098000 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.