

INDUSTRIAL COMPONENT DATA

098003 LEGRAND GASKET IP68 ISO 20

Brand: LEGRAND | Manufacturer Part Number: 098003



Manufacturer	LEGRAND
MPN / Reference	098003
Catalog number	098003
Category	Cable gland
Minimum order	25 Pcs
Document ID	EO-D495B9FD8D
Generated	2026-08-01

Product Overview

GASKET IP68 ISO 20

Legrand IP68 ISO M20 Cable Gland

Plastic cable glands - IP68 - ISO 20 - RAL 7001

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > ACCESSORIES CONTROL AND CONTROL PANELS

Additional Product Information

ISO M20 cable gland Cable gland IP68Thread type Metric

Nominal thread size metric/PG 20

Nominal thread size inch/gas pipe thread Other

Pitch thread 1.5 mm

Thread length 24 mm

Wrench width 26 mm

Hexagon angular dimension 26.5 mm

Suitable for cable diameter 8-12 mm

Material Plastic

Material quality Polyamide (PA)

Surface protection Untreated

Halogen free Yes

Glass-fibre reinforced No

Degree of protection (IP) IP68

Shock resistant Yes
Colour Grey
RAL-number 7001
Bend radius protection/trumpet flare No
With locknut Yes
Snapping in opening Yes
Model Straight
Multi seal area No
Flat cable coupling No
With strain relief No
Type of sealing Sealing ring
Separable screw gland No
Operating / setting temperature -20-80 °C
Explosion-tested version No
For Ex-zone gas None
For Ex-zone dust None
For armoured cable No
EMC-version No
Screened No
Width 28 mm
Height 28 mm
Storage temperature -20-80 °C
ETIM for 098003 Cable glands and cable entry products (EC000441)
Feature Name
Feature Value
Flat cable coupling (EF004685)
No
For Ex-zone dust (EF008404)
None
Shock resistant (EF000084)
Yes
Degree of protection (IP) (EF005474)
IP68
Material (EF002169)
Plastic
Screened (EF000881)
No
Separable screw gland (EF005337)
No
Glass-fibre reinforced (EF001210)
No
Halogen free (EF000025)
Yes
Material quality (EF001257)
Polyamide (PA)
Snapping in opening (EF012547)
Yes

Operating temperature (EF001742)

-20 °C

Surface protection (EF000139)

Untreated

RAL-number (EF000116)

7001

With strain relief (EF000878)

No

Be...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 098003 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.