

INDUSTRIAL COMPONENT DATA

098026 LEGRAND GLAND IP68 PG 29

Brand: LEGRAND | Manufacturer Part Number: 098026



Manufacturer	LEGRAND
MPN / Reference	098026
Catalog number	098026
Category	Cable gland
Minimum order	5 Pcs
Document ID	EO-6B2AD3B9FD
Generated	2026-07-31

Product Overview

GLAND IP68 PG 29

Cable gland plastic - IP68 - PG 29 - clamping capacity 18-25 mm - RAL 7001

Plastic cable gland - IP68 - PG 29 - RAL 7001

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog pathLEGRAND > ACCESSORIES CONTROL AND CONTROL PANELS

Additional Product Information

Pack (number of units)5

Volume (dm3)1.409

Weight (g)266.00

Product characteristicsGrey RAL 7001 cable glands

Anti-vibration mechanically tightened cable gland with neoprene weatherproof seal for IP 68 protection

Locking part consisting of flexible blades which exert strong pressure on the cable thus giving the product excellent tensile strength

Supplied with surface seal and locking nut mounted

PG

Conform to UTE C 68-300 and 68-311 guides recommendations

PG : 29

Clamping capacity Ø Min. : 18 mm

Clamping capacity Ø Max. : 25 mm

General characteristicsPlastic cable glands IP 68 - ISO and PG

ETIM for 098026 Cable glands and cable entry products (EC000441)

Feature Name

Feature Value

Flat cable coupling (EF004685)

No

For Ex-zone dust (EF008404)

None

Shock resistant (EF000084)

Yes

Degree of protection (IP) (EF005474)

IP68

Material (EF002169)

Plastic

Separable screw gland (EF005337)

No

Glass-fibre reinforced (EF001210)

No

Halogen free (EF000025)

Yes

Material quality (EF001257)

Polyamide (PA)

Operating temperature (EF001742)

-20 °C

Surface protection (EF000139)

Untreated

RAL-number (EF000116)

7001

Bend radius protection/trumpet flare (EF000734)

No

For Ex-zone gas (EF005728)

None

Suitable for cable diameter (EF005466)

5 mm

Model (EF000010)

Straight

Wrench width (EF000177)

22 mm

With locknut (EF005049)

Yes

Explosion-tested version (EF004191)

No

Thread length (EF000368)

22 mm

Type of sealing (EF001217)

EV009696

Colour (EF000007)

Grey

Pitch thread (EF003712)

1.41 mm

Thread type (EF00175...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 098026 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.