

INDUSTRIAL COMPONENT DATA

278105L LEGRAND MO-2P+T MA 2M FB BLC SFC EUR

Brand: LEGRAND | Manufacturer Part Number: 278105L



Manufacturer	LEGRAND
MPN / Reference	278105L
Catalog number	278105L
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-C7221FBFE0
Generated	2026-07-31

Product Overview

MO-2P+T MA 2M FB BLC SFC EUR

Mosaic Link 45° F/B standard socket, plug-in terminals, increased protection against accidental contacts, color: ultra white

Mosaic Link 45° F/B standard socket, plug-in terminals, color: ultra white

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > MOSAIC, ARTEOR AND CELIANE MECHANISMS
--------------	---

Additional Product Information

Product features

General features

ETIM for 278105L Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Module frame/grid
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwless terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
9003
Model (EF000010)
Earthing pin
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP41
Device depth (EF008810)
38 mm
Impact strength (EF004293)
IK04
Anti-bacterial treatment (EF023790)
No
Number of active contacts (square) (EF017115)
0

Protective contact (EF017116)

Round

Device width (EF008808)

45 mm

With on/off switch (EF000488)

No

Device height (EF008809)

45 mm

Colour (EF000007)

White

For heavy conditions according to VDE (EFDE0005)

No

Number of active contacts (flat) (EF011999)

0

Number of active contacts (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 278105L with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.