

INDUSTRIAL COMPONENT DATA

310081 LEGRAND UPS-KEOR MULTIPLUG 600VA

Brand: LEGRAND | Manufacturer Part Number: 310081



Manufacturer	LEGRAND
MPN / Reference	310081
Catalog number	310081
Category	UPS
Minimum order	1 Pcs
Document ID	EO-BED72774E1
Generated	2026-07-29

Product Overview

UPS-KEOR MULTIPLUG 600VA

Keor multiplug Line interactive UPS 600 VA - 360 W - 4+2 German standard output sockets

Keor multiplug line interactive UPS with 6 Schuko bases - 600VA 360W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog pathLEGRAND > SINGLE PHASE UPS

Additional Product Information

Pack (number of units)1

Volume (dm3)17.87

Weight (g)5 900.00

Product characteristicsUPS

Automatic start-up: when there is no mains supply or it is of poor quality, the UPS continues working using a battery and switches off if the network breaking time exceeds the back-up time

Technical characteristics: Replaceable fuse for fine protection in case of short-circuits

LED indicators

Internal AVR (Automatic Voltage Regulator)

USB Charger

German standard output sockets

The stated backup time in minutes is estimated and may vary according to the load characteristics, operating conditions and environment

Nominal power: : 600 VA

Active power: : 360 W

Backup time: : up to 15 min

No. of sockets: : 4 + 2

General characteristicsKeor multiplug - Line interactive UPS 600 and 800 VA

ETIM for 310081 Data networking products (EC000382)

Feature Name

Feature Value

Height (EF000040)

89.5 mm

Output effective power (EF009897)

360 W

Voltage type (EF000187)

AC

Weight (EF000167)

5 kg

Output apparent power (EF009898)

600 VA

Auto shut down function (EF009276)

No

Secondary frequency (EF009273)

49 Hz

Primary frequency (EF009272)

45 Hz

Number of phases primary (EF009275)

1

Number of phases secondary (EF009274)

1

Potential free switch contact (EF003626)

No

Number of output connections with protective contact CEE 7/3 (type F) (EF009729)

6

Overall efficiency (EF009406)

96 %

Output power factor (EF009405)

0.6

Suitable for network-management (EF000432)

No

Input voltage (EF003840)

170 V

USV- technology (EF005380...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 310081 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.