

INDUSTRIAL COMPONENT DATA

310082 LEGRAND UPS-KEOR MULTIPLUG 800VA

Brand: LEGRAND | Manufacturer Part Number: 310082



Manufacturer	LEGRAND
MPN / Reference	310082
Catalog number	310082
Category	UPS
Minimum order	1 Pcs
Document ID	EO-E9F3A66707
Generated	2026-07-29

Product Overview

UPS-KEOR MULTIPLUG 800VA

Keor multiplug Line interactive UPS 800 VA - 480 W - 4+2 German standard output sockets

Keor multiplug line interactive UPS with 6 Schuko bases - 800VA 480W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > SINGLE PHASE UPS

Additional Product Information

Pack (number of units)1

Volume (dm3)17.87

Weight (g)6 400.00

Product characteristicsUPS

Automatic start-up: when there is no mains supply or it is of poor quality, the UPS continues working using a battery and switches off if the network breaking time exceeds the back-up time

Technical characteristics:Replaceable fuse for fine protection in case of short-circuits

LED indicators

Internal AVR (Automatic Voltage Regulator)

USB Charger

German standard output sockets

The stated backup time in minutes is estimated and may vary according to the load characteristics, operating conditions and environment

Nominal power: : 800 VA

Active power: : 480 W
Backup time: : up to 15 min
No. of sockets: : 4 + 2
General characteristics Keor multiplug - Line interactive UPS 600 and 800 VA
ETIM for 310082 Data networking products (EC000382)
Feature Name
Feature Value
Height (EF000040)
89.5 mm
Output effective power (EF009897)
480 W
Voltage type (EF000187)
AC
Weight (EF000167)
5.5 kg
Output apparent power (EF009898)
800 VA
Auto shut down function (EF009276)
No
Secondary frequency (EF009273)
49 Hz
Primary frequency (EF009272)
45 Hz
Number of phases primary (EF009275)
1
Number of phases secondary (EF009274)
1
Potential free switch contact (EF003626)
No
Number of output connections with protective contact CEE 7/3 (type F) (EF009729)
6
Overall efficiency (EF009406)
97 %
Output power factor (EF009405)
0.6
Suitable for network-management (EF000432)
No
Input voltage (EF003840)
170 V
USV- technology (EF0053...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 310082 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.