

## INDUSTRIAL COMPONENT DATA

## 310189 LEGRAND SAI-KEOR SP 1500 VA IEC

Brand: LEGRAND | Manufacturer Part Number: 310189



|                 |               |
|-----------------|---------------|
| Manufacturer    | LEGRAND       |
| MPN / Reference | 310189        |
| Catalog number  | 310189        |
| Category        | UPS           |
| Minimum order   | 1 Pcs         |
| Document ID     | EO-9EE6428E3A |
| Generated       | 2026-08-03    |

## Product Overview

SAI-KEOR SP 1500 VA IEC

Keor SP UPS with 6 international sockets - Single phase VI - 1500 VA - 900 W - USB HID

Keor SP line interactive tower UPS with 6 IEC outputs - 1500VA 900W

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog pathLEGRAND &gt; SINGLE PHASE UPS

## Additional Product Information

Pack (number of units)1

Volume (dm3)29.944

Weight (g)11 927.00

Product characteristicsUPS international socket

The stated backup time in minutes is estimated and may vary according to the load characteristics, operating conditions and environment

Nominal power: : 1500 VA

Active power: : 900 W

Backup time: : up to 15 min

No. of sockets IEC: : 6

Communication ports: : USB HID

General characteristicsKeor SP - Single phase VIFeatures:3-colour LED bar

Mute button

Internal AVR (Automatic Voltage Regulator)

**USB Port**

Available outputs sockets in IEC, German or French type

ETIM for 310189 Data networking products (EC000382)

Feature Name

Feature Value

Height (EF000040)

173 mm

Output effective power (EF009897)

900 W

With communication interface RS-232 (EF007312)

Yes

Voltage type (EF000187)

AC

Weight (EF000167)

10.5 kg

Output apparent power (EF009898)

1500 VA

Auto shut down function (EF009276)

No

Number of output connections fixed connection (EF009730)

0

Secondary frequency (EF009273)

49 Hz

Primary frequency (EF009272)

45 Hz

Number of phases primary (EF009275)

1

Number of phases secondary (EF009274)

1

Potential free switch contact (EF003626)

No

USB interface (EF002039)

Yes

Number of output connections with protective contact CEE 7/3 (type F) (EF009729)

0

Number of output connections C19 (EF009728)

0

Overall efficiency (EF009406)

97 %

Output power factor (EF009405)

0.6

Number of output connections C13 (EF009727)

6

Input connection (EF009726)

C14

Suitable for network-management (EF000432)...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 310189 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.