

INDUSTRIAL COMPONENT DATA

310332 LEGRAND UPS-KEOR PDU 800VA 8 SCH

Brand: LEGRAND | Manufacturer Part Number: 310332



Manufacturer	LEGRAND
MPN / Reference	310332
Catalog number	310332
Category	UPS
Minimum order	1 Pcs
Document ID	EO-F92D562B49
Generated	2026-07-28

Product Overview

UPS-KEOR PDU 800VA 8 SCH

Keor PDU single-phase VFD UPS - 800VA 480W - 8 sockets DE/IT for FR/DE/IT sockets - autonomy up to 15 min

Keor PDU off-line single-phase UPS with 8 Schuko outputs - 800VA 480W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > SINGLE PHASE UPS

Additional Product Information

Pack (number of units)1

Volume (dm3)21.408

Weight (g)6 387.00

Product characteristicsUPS

Nominal power : 800 VA

Active power : 480 W

Autonomy : up to 15 min

Type of power socket : FR/DE/IT

Number and type of output socket : 8 sockets DE/IT

Communication ports : USB HID

General characteristicsKeor PDU - Single-phase VFD

ETIM for 310332 Data networking products (EC000382)

Feature Name

Feature Value

Height (EF000040)
440 mm

Output effective power (EF009897)
480 W

Voltage type (EF000187)
AC

Weight (EF000167)
5.5 kg

Output apparent power (EF009898)
800 VA

Auto shut down function (EF009276)
No

Number of output connections fixed connection (EF009730)
0

Secondary frequency (EF009273)
49 Hz

Primary frequency (EF009272)
45 Hz

Number of phases primary (EF009275)
1

Number of phases secondary (EF009274)
1

Potential free switch contact (EF003626)
No

Number of output connections with protective contact CEE 7/3 (type F) (EF009729)
8

Number of output connections C19 (EF009728)
0

Overall efficiency (EF009406)
98 %

Output power factor (EF009405)
0.6

Number of output connections C13 (EF009727)
8

Input connection (EF009726)
C14

Suitable for network-management (EF000432)
No

Input voltage (EF003840)
160 V

USV- technology (EF005380)
Offline

SNMP (EF005284)
No

Depth (EF000049)
150 mm

Output voltage (EF003933)

207 V

Construction type (EF000767)

482.6 mm (19 inch) device

Width (EF000008)

88 mm

Bridging time full load (EF000428)

1 min

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 310332 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.