

INDUSTRIAL COMPONENT DATA

404905 LEGRAND TERMINAL CONNECTION 25 MM2

Brand: LEGRAND | Manufacturer Part Number: 404905



Manufacturer	LEGRAND
MPN / Reference	404905
Catalog number	404905
Category	Rail terminal bar
Minimum order	20 Pcs
Document ID	EO-8DC19028C4
Generated	2026-08-01

Product Overview

TERMINAL CONNECTION 25 MM2

Legrand 1 Pole Busbar Entry Terminal IP2X

Terminal block for single-pole power combs - cross-section from 4 to 25mm²

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > SPLITTERS

Additional Product Information

Entry terminals Accepts conductors 4 - 25 mm² max for single pole busbars only IP 2XNumber of poles 1

Nominal current 100 A

Connection type Screwing

Mounting method Other

Number of inputs 1

Number of outputs 1

Suitable for solid conductors Yes

Suitable for stranded conductors Yes

Suitable for fine strand conductors No

Suitable for fine strand conductors without cable end sleeve No

Suitable for extra fine-strand conductors No

Suitable for extra fine-strand conductors without cable end sleeve No

Conductor cross section, input 4-25 mm²Conductor cross section, output 25-25 mm²

Conductor cross section, output AWG 4-4

Contact safe Yes

Height 37 mm

Width 17.5 mm

Depth 19 mm

Operating / setting temperature -5-40 °C

Storage temperature -25-70 °C

Type of distribution blocks Multifunction

Terminals capacity 4-25 mm²

Label space/information surface No

ETIM for 404905 Power distribution systems (EC000275)

Feature Name

Feature Value

Height (EF000040)

37 mm

Nominal current (EF000001)

100 A

Connection type (EF000124)

Screwing

Mounting method (EF000003)

Other

Contact safe (EF004521)

Yes

Suitable for extra fine-strand conductors (EF016328)

No

Suitable for extra fine-strand conductors without cable end sleeve (EF016329)

No

Number of poles (EF001391)

1

Conductor cross section, output AWG (EF016333)

4

Conductor cross section, output (EF016331)

25 mm²

Suitable for fine strand conductors without cable end sleeve (EF016327)

No

Suitable for stranded conductors (EF007818)

Yes

Depth (EF000049)

19 mm....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 404905 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.