

INDUSTRIAL COMPONENT DATA

411821 LEGRAND TX3 ID 4P D 63A 300MA TO-HPI

Brand: LEGRAND | Manufacturer Part Number: 411821



Manufacturer	LEGRAND
MPN / Reference	411821
Catalog number	411821
Category	Residual current circuit breaker (RCCB)
Minimum order	1 Pcs
Document ID	EO-63727B34C0
Generated	2026-08-04

Product Overview

TX3 ID 4P D 63A 300MA TO-HPI

TX³ 63A Differential Switch, 4 Poles, 300mA, Type F, 400VAC, 4 ModulesTX³ Differential Switch - 4P - 400VAC - 63A - Type F - 300mA - 4mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > TERTIARY CIRCUIT BREAKERS

Additional Product Information

Product features

General features

ETIM for 411821 Circuit breakers and fuses (EC000003)

Feature Name

Feature Value

Explosion-proof (EF004663)

No

Connectable conductor cross section solid-core (EF007337)

0.75 mm²

Frequency (EF005455)

50 Hz

Selective protection (EF002561)

No

Short-circuit breaking capacity (I_{cn}) (EF002562)

10 kA

Ambient temperature during operating (EF007515)

-25 °C

Degree of protection (IP) (EF005474)

IP20

Leakage current type (EF002560)

F

Voltage type (EF000187)

AC

Additional equipment possible (EF008148)

Yes

Mounting method (EF000003)

DIN rail

Surge current capacity (EF002564)

3 kA

Number of poles (EF001391)

4

Short-time delayed tripping (EF003604)

Yes

Rated fault current (EF002358)

0.3 A

Rated impulse withstand voltage Uimp (EF011980)

4 kV

Built-in depth (EF000218)

44 mm

RAL-number (similar) (EF003882)

7035

Pollution degree (EF002570)

2

Width in number of modular spacings (EF002950)

4

Rated insulation voltage Ui (EF001366)

500 V

With interlocking device (EF007385)

Yes

Connectable conductor cross section multi-wired (EF007343)

0.75 mm²

Rated current (EF000227)

63 A

Rated voltage (EF000228)

400 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 411821 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.