

INDUSTRIAL COMPONENT DATA

422686 LEGRAND MODULE FOR DOUBLE POWER

Brand: LEGRAND | Manufacturer Part Number: 422686



Manufacturer	LEGRAND
MPN / Reference	422686
Catalog number	422686
Category	AC-power supply
Minimum order	1 Pcs
Document ID	EO-79A7424B10
Generated	2026-07-31

Product Overview

MODULE FOR DOUBLE POWER

Dual power supply selector - for automatic transfer switch control units

Dual feed module

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > DPX3 MOLDED BOX

Additional Product Information

Pack (number of units)1

Volume (dm3)0.831

Weight (g)242.00

Product characteristicsDual power supply selector

Dual power supply selector measures and controls two supply voltages at its inputs (single phase, 230 V~) and selects the most adapted voltage for auxiliary circuits supply

Equipped with 1 alarm contact, if no supply voltage can be selected within the limits

General characteristicsAutomatic transfer switch control unitsThey can control transfer switching between two sources, manage generator start/stop, control single phase, two-phase and three-phase networks, control phase-phase and phase-neutral voltages

For DPX³ and DMX³ circuit breakers and CTX³ contactors

ETIM for 422686 Low-voltage industrial controls and switchgear (EC002541)

Feature Name

Feature Value

Power output (EF003034)

2.4 W

Height (EF000040)

90 mm

Degree of protection (IP) (EF005474)

IP20

Suitable for safety functions (EF001597)

No

Suitable for rail mounting (EF003972)

Yes

Output voltage stabilized (EF003092)

No

Rated supply voltage AC 50 Hz (EF007076)

80 V

Rated supply voltage AC 60 Hz (EF007077)

80 V

Short-circuit-proof (EF007332)

Yes

Max. output current 1 (EF008284)

4 A

Max. output current 2 (EF008285)

4 A

Modular version (EF001126)

Yes

Voltage type (supply voltage) (EF002991)

AC

Direct mounting possible (EF005689)

Yes

Built-in height (EF000332)

104.7 mm

Stabilized (EF005302)

No

Type of electric connection (EF003961)

Screw connection

2nd secondary output voltage (EF006797)

250 V

1st secondary output....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 422686 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.