

INDUSTRIAL COMPONENT DATA

610110 LEGRAND EURO-CHANNEL 25-BY-40

Brand: LEGRAND | Manufacturer Part Number: 610110



Manufacturer	LEGRAND
MPN / Reference	610110
Catalog number	610110
Category	EUROQUINT INSTALLATION CABLE TRUNKING
Minimum order	60 m.
Document ID	EO-A5884F1357
Generated	2026-08-03

Product Overview

610110 LEGRAND EURO-CHANNEL 25-BY-40

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Height (EF000040)	25 mm
Degree of protection (IP) (EF005474)	Other
Material (EF002169)	Plastic
Material quality (EF001257)	Polyvinyl chloride (PVC)
Halogen free (EF000025)	No
Type of fastening (EF002442)	Bottom perforation
Cover model (EF009212)	Loose
Transparent (EF006243)	No
Operating temperature (EF001742)	15 °C
Surface protection (EF000139)	Untreated
Number of plug-in partitions (EF004438)	0
Suitable for circuit integrity (EF007806)	No
With cable fixing clip (EF004815)	No
With protective foil (EF005266)	No
Useful cross section (EF005140)	840 mm ²
Impact strength (EF004293)	Other
Anti-bacterial treatment (EF023790)	No

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Delivery on roll (EF005957)	No
Colour (EF000007)	White
Width (EF000008)	40 mm
Length (EF001438)	2000 mm
Number of permanent partitions (EF004408)	0
With duct connector (EF004826)	No

Classification & Catalog Path

Catalog path	LEGRAND > EUROQUINT INSTALLATION CABLE TRUNKING
--------------	---

Additional Product Information

Product features

Distribution channel EUROQUINT - 25-by-40 - 1 compartment - 2 m - white General characteristics

Distribution channels EUROQUINT

ETIM for 610110 Cable trunking systems for wall and ceilings (EC000059)

Feature Name

Feature Value

Height (EF000040)

25 mm

Degree of protection (IP) (EF005474)

Other

Material (EF002169)

Plastic

Material quality (EF001257)

Polyvinyl chloride (PVC)

Halogen free (EF000025)

No

Type of fastening (EF002442)

Bottom perforation

Cover model (EF009212)

Loose

Transparent (EF006243)

No

Operating temperature (EF001742)

15 °C

Surface protection (EF000139)

Untreated

Number of plug-in partitions (EF004438)

0

Suitable for circuit integrity (EF007806)

No

With cable fixing clip (EF004815)

No

With protective foil (EF005266)

No

Useful cross section (EF005140)

840 mm²

Impact strength (EF004293)

Other

Anti-bacterial treatment (EF023790)

No

Delivery on roll (EF005957)

No

Colour (EF000007)

White

Width (EF000008)

40 mm

Length (EF001438)

2000 mm

Number of permanent partitions (EF004408)

0

With duct connector (EF004826)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 610110 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.