

INDUSTRIAL COMPONENT DATA

636202 LEGRAND CHANNEL BOX PC-ABS 60X25

Brand: LEGRAND | Manufacturer Part Number: 636202



Manufacturer	LEGRAND
MPN / Reference	636202
Catalog number	636202
Category	Slotted cable trunking system
Minimum order	56 m.
Document ID	EO-9E99392739
Generated	2026-08-01

Product Overview

CHANNEL BOX PC-ABS 60X25

Transcab Halogen Free PC/ABS Open Slot Grey Panel Trunking 25mm x 60mm x 2m Length

Channel for perforated wall pictures - 25x60mm - Light gray halogen-free

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > CABINET CABLE TRUNKING
--------------	----------------------------------

Additional Product Information

Conforms to EN 50085 Parts 2 and 3, UL and CSA Material: PVC self-extinguishing or PC/ABS halogen free Colour: grey RAL 7030 (PVC) or light grey RAL 7035 (PC/ABS) PC/ABS range passes IEC 695-2-1 850°C glow wire test Operating temp.: -5 to +60°C UL classification: UL94 VO Oxygen index: 43% (PVC) or 37% (PC/ABS) EN ISO 4589 (low fume) Metric size body in 2 m lengths (6mm gap/6.5mm finger width) DIN fixing centres of 12.5/25mm Maximum space for cables with good heat dissipation Exit cables at terminal or base levelMaterial Acrylonitrile butadiene styrene (ABS)

Height 60 mm

Width 25 mm

Length 2000 mm

Distance of slots 6.5 mm

Slit width 6 mm

Type of side wall Hole-/slot punching

Halogen free Yes

Self-extinguishing Yes

Flexible No

Usable cross section 1159 mm²
Type of fastening Bottom perforation
With cover Yes
Colour Grey
Operating / setting temperature -5-60 °C
Storage temperature -25-60 °C
ETIM for 636202 Slotted cable trunking (EC000012)
Feature Name
Feature Value
Distance of slots (EF005246)
6.5 mm
Height (EF000040)
60 mm
With cover (EF007965)
Yes
Self-extinguishing (EF000681)
Yes
Type of side wall (EF000098)
Hole-/slot punching
Material (EF002169)
Acrylonitrile butadiene styrene (ABS)
Halogen free (EF000025)
Yes
Type of fastening (EF002442)
Bottom perforation
Slit width (EF005247)
6 mm
Flexible (EF000083)
No
Useful cross section (EF005140)
1159 mm²
Colour (EF000007)
Grey
Length (EF001438)
2000 mm
Width (EF000008)
25 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 636202 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.