

**INDUSTRIAL COMPONENT DATA****636207 LEGRAND CHANNEL BOX PC-ABS 60X40**

Brand: LEGRAND | Manufacturer Part Number: 636207



|                 |                               |
|-----------------|-------------------------------|
| Manufacturer    | LEGRAND                       |
| MPN / Reference | 636207                        |
| Catalog number  | 636207                        |
| Category        | Slotted cable trunking system |
| Minimum order   | 48 m.                         |
| Document ID     | EO-196A0588EF                 |
| Generated       | 2026-08-01                    |

**Product Overview**

CHANNEL BOX PC-ABS 60X40

Transcab Halogen Free PC/ABS Open Slot Grey Panel Trunking 40mm x 60mm x 2m Length

Channel for perforated wall pictures - 40x60mm - Light gray halogen-free

**STRUCTURED PRODUCT DATA****Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**Catalog path **LEGRAND > CABINET CABLE TRUNKING****Additional Product Information**

Conforms to EN 50085 Parts 2 and 3, UL and CSA Material: PVC self-extinguishing or PC/ABS halogen free Colour: grey RAL 7030 (PVC) or light grey RAL 7035 (PC/ABS) PC/ABS range passes IEC 695-2-1 850°C glow wire test Operating temp.: -5 to +60°C UL classification: UL94 VO Oxygen index: 43% (PVC) or 37% (PC/ABS) EN ISO 4589 (low fume) Metric size body in 2 m lengths (6mm gap/6.5mm finger width) DIN fixing centres of 12.5/25mm Maximum space for cables with good heat dissipation Exit cables at terminal or base levelMaterial Acrylonitrile butadiene styrene (ABS)

Height 60 mm

Width 40 mm

Length 2000 mm

Distance of slots 6.5 mm

Slit width 6 mm

Type of side wall Hole-/slot punching

Halogen free Yes

Self-extinguishing Yes

Flexible No

Usable cross section 2007 mm<sup>2</sup>  
Type of fastening Bottom perforation  
With cover Yes  
Colour Grey  
Operating / setting temperature -5-60 °C  
Storage temperature -25-60 °C  
ETIM for 636207 Slotted cable trunking (EC000012)  
Feature Name  
Feature Value  
Distance of slots (EF005246)  
6.5 mm  
Height (EF000040)  
60 mm  
With cover (EF007965)  
Yes  
Self-extinguishing (EF000681)  
Yes  
Type of side wall (EF000098)  
Hole-/slot punching  
Material (EF002169)  
Acrylonitrile butadiene styrene (ABS)  
Halogen free (EF000025)  
Yes  
Type of fastening (EF002442)  
Bottom perforation  
Slit width (EF005247)  
6 mm  
Flexible (EF000083)  
No  
Useful cross section (EF005140)  
2007 mm<sup>2</sup>  
Colour (EF000007)  
Grey  
Length (EF001438)  
2000 mm  
Width (EF000008)  
40 mm

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 636207 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.