

INDUSTRIAL COMPONENT DATA

638032 LEGRAND DLPSH-ANGULO EXTERIOR 100X50

Brand: LEGRAND | Manufacturer Part Number: 638032



Manufacturer	LEGRAND
MPN / Reference	638032
Catalog number	638032
Category	EVOLUTIONARY DLP INSTALLATION CABLE TRUNKING
Minimum order	10 units
Document ID	EO-09C1DF795B
Generated	2026-08-02

Product Overview

638032 LEGRAND DLPSH-ANGULO EXTERIOR 100X50

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Model (EF000010)	Moulded hood
Number of covers (EF004430)	0
With protective foil (EF005266)	No
Degree of protection (IP) (EF005474)	IP3X
Material (EF002169)	Plastic
Bottom perforation (EF004545)	No
Material quality (EF001257)	Acrylonitrile butadiene styrene (ABS)
Halogen free (EF000025)	Yes
Angle (EF005434)	60 °
Anti-bacterial treatment (EF023790)	No
Impact strength (EF004293)	IK07
Depth (EF000049)	50 mm
Operating temperature (EF001742)	15 °C
Mounting method cover (EF002922)	Spanned
Symmetric (EF005329)	Yes
Surface protection (EF000139)	Untreated
Colour (EF000007)	White

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
RAL-number (EF000116)	9003
Width (EF000008)	100 mm
With cable fixing clip (EF004815)	No
With duct connector (EF004826)	No

Classification & Catalog Path

Catalog path	LEGRAND > EVOLUTIONARY DLP INSTALLATION CABLE TRUNKING
--------------	--

Additional Product Information

Pack (number of units)10

Volume (dm3)15.195

Weight (g)1 477.00

Product characteristicsFixed angles at 90°

External angle

100 x 50

General characteristicsRigid cover DLP-S universal trunking - trunking and accessories

ETIM for 638032 Cable trunking systems for wall and ceilings (EC000872)

Feature Name

Feature Value

Model (EF000010)

Moulded hood

Number of covers (EF004430)

0

With protective foil (EF005266)

No

Degree of protection (IP) (EF005474)

IP3X

Material (EF002169)

Plastic

Bottom perforation (EF004545)

No

Material quality (EF001257)

Acrylonitrile butadiene styrene (ABS)

Halogen free (EF000025)

Yes

Angle (EF005434)

60 °

Anti-bacterial treatment (EF023790)

No

Impact strength (EF004293)

IK07
Depth (EF000049)
50 mm
Operating temperature (EF001742)
15 °C
Mounting method cover (EF002922)
Spanned
Symmetric (EF005329)
Yes
Surface protection (EF000139)
Untreated
Colour (EF000007)
White
RAL-number (EF000116)
9003
Width (EF000008)
100 mm
With cable fixing clip (EF004815)
No
With duct connector (EF004826)
No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 638032 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.