

INDUSTRIAL COMPONENT DATA

741320 LEGRAND VN-2P+T 16A TORN ALUM

Brand: LEGRAND | Manufacturer Part Number: 741320



Manufacturer	LEGRAND
MPN / Reference	741320
Catalog number	741320
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-E1CF9669CD
Generated	2026-07-31

Product Overview

VN-2P+T 16A TORN ALUM

Base current Valena Next - 2P+e with shutters - terminals with screw - 10/16 A - 230 V~ - aluminum

Valena Next power base - 2P+T with shutters - 10/16A - 230V~ - Aluminum

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > NEXT VALENA MECHANISMS

Additional Product Information

Product features

Basis of current 10/16 A - 230 V~ - 2P+e with shutters for child protection - screw Terminals - Aluminum General characteristics

Valena Next - bases of power - are supplied with the front finish, to equip the plates with trim - mounting with screws or claws - Degree of protection IP 2 - Terminals: 2.5 mm?

ETIM for 741320 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwed terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
40 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
39 mm
Impact strength (EF004293)
IK04
Anti-bacterial treatment (EF023790)

No
Number...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 741320 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.