

INDUSTRIAL COMPONENT DATA

741460A LEGRAND VN-SENSOR IR 2H 32-100W DARK

Brand: LEGRAND | Manufacturer Part Number: 741460A



Manufacturer	LEGRAND
MPN / Reference	741460A
Catalog number	741460A
Category	Movement sensor complete
Minimum order	1 Pcs
Document ID	EO-7A809C9ADB
Generated	2026-08-02

Product Overview

VN-SENSOR IR 2H 32-100W DARK

Valena Next automatic switch - with infrared detector - 2 - 100W - Dark

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LEGRAND > NEXT VALENA MECHANISMS**

Additional Product Information

The Valena Next 2-wire circuit breaker allows automatic on/off by detecting presence when natural light is insufficient. Model Motion Sensor

Motion sensor technology Passive Infrared

Constant light dimming No

Control de HVAC No

Forced connection No

Forced disconnection No

Animal Zone No

Creep Protection/Field Monitoring No

Background monitoring No

Networkable No

Scanning angle 170 °

Optimal mounting height 1.2 m

Stair Lighting Controller Yes

Bypass switch No

Side reach 4 /
Detection field presence max. 32 m²
Front Reach 8 m
Suitable for wireless streaming No
Remote control Yes
With remote control No
Adjustable response sensitivity Yes
Adjustable response brightness Yes
With signalling unit Yes
Learn function for responsive brightness No
Control function with control insert No
Type of mounting Recessed mounted (plaster)
Suitable for ceiling mounting No
Suitable for wall mounting Yes
Connection Method Screw-on terminal
Material Plastic
Material quality Thermoplastic
Halogen-free Yes
Surface treatment Varnishing
Surface Finish Mate
Antibacterial treatment No
Colour Black
RAL number (similar) 9017
Transparent No
Protection Class (IP) IP20
Impact resistance IK04
Type of voltage AC
frequency 50-60 Hz
Nominal Voltage 110-240 V
Minimum duty cycle 5 s
Maximum duty cycle 30 min
Shutdown delay 0 seconds
Power-on delay 0 seconds
Horizontal detection angle 85-85 °
Sensor swivel angle, horizontal 0-0 °
Sensor swivel angle, vertical 0-0 °
Response brightness 5-1275 lx
Max. switching power 1...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 741460A with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.