

INDUSTRIAL COMPONENT DATA**770286 LEGRAND VL-BASE MBLOC 2P+T TORN ALUM**

Brand: LEGRAND | Manufacturer Part Number: 770286



Manufacturer	LEGRAND
MPN / Reference	770286
Catalog number	770286
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-C98F15AB35
Generated	2026-07-29

Product Overview

VL-BASE MBLOC 2P+T TORN ALUM

Base current Valena - 2P+e with shutters - monobloc - aluminium

Valena power base - 2P+T with shutters - 16A/230V - monobloc - Aluminium

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **LEGRAND > VALENA MECHANISMS****Additional Product Information**

Product features

Bases of power double 16 A - 250 V~ - supplied complete with plate dummy and support 2P+e with shutters for child protection - Aluminium - screw Terminals General characteristics

Valena - bases of current monoblock - The mechanisms are supplied with front and finishing plate dummy - Mounting with screws or claws

ETIM for 770286 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
7040
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP21
Device depth (EF008810)
43 mm
Impact strength (EF004293)
IK04
Anti-bacterial treatment (EF023790)
No
Device width (EF008808)

82 mm

With on/off switch (EF000488)

No

Dev...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 770286 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.