

INDUSTRIAL COMPONENT DATA

864020 LEGRAND NS-BASE 2P+T 16A AUTO

Brand: LEGRAND | Manufacturer Part Number: 864020



Manufacturer	LEGRAND
MPN / Reference	864020
Catalog number	864020
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-72B1C77AB5
Generated	2026-07-29

Product Overview

NS-BASE 2P+T 16A AUTO

2P+T Niloam Step Power Base - Auto Terminal - 16A - 250 V~

Niloé Step Power Base - 2P+T - auto terminal - 16A - 250V~

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LEGRAND > NILOÉ MECHANISMS**

Additional Product Information

Product features

Current base 2P+T 10/16A - 250 V~ - With protected sockets - Automatic terminals - To be equipped with front and trim plate of finish - Recessed or surface mounting - Fixing with screws or claws (included with the mechanism) - Supplied with plastic protector for protection during installation General features

Niloé Step - current bases

ETIM for 864020 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwless terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
40.3 mm
Impact strength (EF004293)
IK04
Anti-bacterial treatment (EF023790)
No
Number of active contacts (s...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 864020 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.