

INDUSTRIAL COMPONENT DATA

864023 LEGRAND NS-BASE 2X2P+T 16A TORN

Brand: LEGRAND | Manufacturer Part Number: 864023



Manufacturer	LEGRAND
MPN / Reference	864023
Catalog number	864023
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-5AA3A3CA7F
Generated	2026-07-29

Product Overview

NS-BASE 2X2P+T 16A TORN

Dual current base 2P+T Niloé Step - automatic terminal - 16A - 250 V~

Niloé Step double power base - 2x2P+T - auto terminal - 16A - 250V~

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > NILOÉ MECHANISMS

Additional Product Information

Product features

Double current base 2x2P+T 10/16A - 250 V~ - With protected sockets - Screw bornes - To be equipped with front and trim plate finish - Built-in or surface mounting - It is not possible to install it in multi-position - Fixation with screws or claws (included with the mechanism) - Supplied with plastic protector for protection during installation

General features

Niloé Step - current bases

ETIM for 864023 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
32 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP00
Device depth (EF008810)
48.4 mm
Impact strength (EF004293)
IK...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 864023 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.