

INDUSTRIAL COMPONENT DATA

NBU-AS-PRO LEGRAND NETATMO SMART ALARM SYSTEM

Brand: LEGRAND | Manufacturer Part Number: NBU-AS-PRO



Manufacturer	LEGRAND
MPN / Reference	NBU-AS-PRO
Catalog number	NBU-AS-PRO
Category	Camera for surveillance system
Minimum order	1 Pcs
Document ID	EO-2BDA259E40
Generated	2026-08-01

Product Overview

NETATMO SMART ALARM SYSTEM
Netatmo Intelligent Indoor Alarm System

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > DOMOTICS MY HOME
--------------	----------------------------

Additional Product Information

Composed of the Netatmo Smart Indoor Camera (NSC-PRO), Smart Aperture Detectors (DTG-PRO) and the Smart Siren (NIS01-PRO).Model Standard (fixed)

Number of pixels (megapixels) 4

With a goal Yes

Focal length size 300-10000 mm

Suitable for outdoor use No

Interface Type Wi-Fi

Protocol TCP/IP

Power over Ethernet (PoE) none

Imaging System Other

Imaging System Ownership Colour

Color Intensity 10 Bit

With infrared lamp Yes

Max infrared range 8 m

With video motion detector Yes

Memory capacity 8 GB
Number of digital inputs 0
Vandalism protection No
Protection Class (IP) Other
Horizontal Angle of Visibility 120-120 °
Vertical Angle of Visibility 70-70 °
Supply voltage 5-5 V
Type of voltage CC
Colour Other
Height 165 mm
Width 65 mm
Depth 65 mm
Compatible with Apple HomeKit Yes
Compatible with Google Assistant Yes
Compatible with Amazon Alexa Yes
Compatible IFTTT No
Operating Temperature 0-50 °C
Storage temperature -20-80 °C
Nominal current 0-2 A
frequency 50-60 Hz
Sound Level 110 dB
Standby consumption 200 mA
RAL number 9016
Halogen-free Yes
Connection Cable Type Not applicable
Label Space/Print Area No
Equipped with waterproof plate protection No
With signal lamp Yes
Contains battery and/or accumulator Yes
Volume control No
Addressable Yes
Camera Type Night vision
Camera viewing angle 130 °
Maximum distance between hob and indoor unit 100 m
Regulatory Type (Pack2) P : Portable (standard format)
Connected Object Yes
Method of operation RF
App download platform App Store, Google Play Sto...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / NBU-AS-PRO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.