

INDUSTRIAL COMPONENT DATA

NTH-PRO LEGRAND NETATMO SMART THERMOSTAT

Brand: LEGRAND | Manufacturer Part Number: NTH-PRO



Manufacturer	LEGRAND
MPN / Reference	NTH-PRO
Catalog number	NTH-PRO
Category	Smart thermostat
Minimum order	1 Pcs
Document ID	EO-FDA3020955
Generated	2026-07-31

Product Overview

NETATMO SMART THERMOSTAT
Netatmo Pro Smart Thermostat

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > DOMOTICS MY HOME
--------------	----------------------------

Additional Product Information

Regulation type on/off Yes
Regulation type modulating No
Communications protocol Other
Type of power supply Other
Connection 2-wire
With receiver Yes
Measuring range 0-50 °C
External sensor No
With thermal feedback No
Control characteristic PID
Adaptive (self-learning) Yes
Suitable for heating Yes
Number of heater outputs 1
Suitable for cooling No
Number of cooler outputs 0

Ventilation No
Number of ventilation outputs 0
Differential value 0.3-0.3 K
Adjustable differential Yes
Sensor/feeler type Resistance sensor
Temperature readable Yes
With display Yes
Type of clock Day clock
Clock model Digital
Overtime switch No
Optimisation Yes
With tap water circuit No
Operation Button
Suitable for floor heating control Yes
Suitable for district heating control Yes
Remote operation possible Yes
IFTTT support available Yes
With presence perception No
Weather-dependent control system Yes
Number of switching programmes 10
Contact type Normally open contact (NO)
Max. contact voltage 250 V
Degree of protection (IP) IP30
Colour White
Width 83 mm
Depth 46 mm
Height 83 mm
Class of the temperature control IV
Standby power consumption (solstandby) 0.5 W
degree of impact strength (IK) Not applicable
Operating / setting temperature 0-50 °C
Storage temperature 0-50 °C
Voltage type AC/DC
Standby consumption 10 mA
Halogen free Yes
Mounting method Surface mounted
Contains Batteries and/or Accumulator Yes
IEC code (Pack1) LR03
Battery ou Accumulator (Pack1) Battery (not rechargeable)
Element Composition...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / NTH-PRO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.