

INDUSTRIAL COMPONENT DATA

OTH-PRO LEGRAND NETATMO OPENT SMART THERMOSTAT

Brand: LEGRAND | Manufacturer Part Number: OTH-PRO



Manufacturer	LEGRAND
MPN / Reference	OTH-PRO
Catalog number	OTH-PRO
Category	Smart thermostat
Minimum order	1 Pcs
Document ID	EO-296D7EB966
Generated	2026-07-29

Product Overview

NETATMO OPENT SMART THERMOSTAT
 Netatmo Pro Smart Modulating Thermostat
 Opentherm Netatmo Smart Thermostat

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LEGRAND > DOMOTICS MY HOME**

Additional Product Information

Regulation type on/off Yes
 Regulation type modulating Yes
 Communications protocol OpenTherm
 Type of power supply Battery
 Connection Wireless
 Measuring range 0-50 °C
 External sensor No
 With thermal feedback Yes
 Control characteristic PID
 Adaptive (self-learning) Yes
 Suitable for heating Yes
 Number of heater outputs 1
 Suitable for cooling No

Number of cooler outputs 0
Ventilation No
Number of ventilation outputs 0
Differential value 0-0 K
Sensor/feeler type Resistance sensor
Temperature readable Yes
With display Yes
Type of clock Day clock
Clock model Digital
Optimisation Yes
With tap water circuit Yes
Operation Button
Suitable for floor heating control No
Suitable for district heating control No
Remote operation possible Yes
IFTTT support available No
With presence perception No
Weather-dependent control system Yes
Number of switching programmes 3
Max. contact voltage 250 V
Max. contact load 4 A
Degree of protection (IP) IPX0
Colour White
Width 83 mm
Depth 22 mm
Height 83 mm
Class of the temperature control VI
degree of impact strength (IK) Not applicable
Operating / setting temperature 5-30 °C
Storage temperature 0-50 °C
Voltage type AC/DC
Mounting method Surface mounted
Contains Batteries and/or Accumulator Yes
IEC code (Pack1) LR03
Battery ou Accumulator (Pack1) Battery (not rechargeable)
Element Composition (Pack1) Alkaline
Number of Pack 1 3
Number of Single Element (Pack1) 1
Single Element weight (Pack1) 33 g
Pack1 Location Included in packaging
Regulation Type (Pack1)...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / OTH-PRO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.