

INDUSTRIAL COMPONENT DATA

11BGR1201A12060 LOVATO REVERSING CONTACTOR ASSEMBLY, AC COIL, EXTERNAL INTERLOCK WITH POWER AND AUXILIARY WI..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 11BGR1201A12060



Manufacturer	LOVATO ELECTRIC
MPN / Reference	11BGR1201A12060
Catalog number	12060
Category	Motor starter/Motor starter combination
Minimum order	1 Pcs
Document ID	EO-B01C166013
Generated	2026-07-27

Product Overview

REVERSING CONTACTOR ASSEMBLY, AC COIL, EXTERNAL INTERLOCK WITH POWER AND AUXILIARY WIRING, 12A AC3 IN AC, 5.7KW. COIL VOLTAGE 120VAC 60HZ

REVERSING CONTACTOR BGR12.01A 120V 60HZ

Reversing contactor assembly, AC coil, external interlock with power and auxiliary wiring, 12A AC3 in AC, 5.7kW. Coil voltage 120VAC 60Hz

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Electromechanical starters - LOVATO ELECTRIC

Additional Product Information

11BGR1201A12060

Reversing contactor assembly, AC coil, external interlock with power and auxiliary wiring, 12A AC3 in AC, 5.7kW. Coil voltage 120VAC 60Hz

Technical specifications

Type of product: Reversing contactor assemblies
UL/CSA horsepower ratings 480V [HP]: 7.5
Type: Open frame, with external interlock with power and auxiliary wiring
Type of coil: AC coil
Contactor coil voltage: 120VAC 60HZ
Order code

11BGR1201A12060

Weight [g] 394

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 097X065X090
Volume [cm³] 567.45
Bar code [EAN13] 8013975083598
HS Code 85365080
ETIM for 11BGR1201A12060 Low-voltage industrial controls and switchgear (EC001037)
Feature Name
Feature Value
Degree of protection (NEMA) (EF011959)
Other
Type of motor starter (EF009598)
Reversing starter
Voltage type for actuating (EF008242)
AC
Type of electrical connection for auxiliary- and control current circuit (EF006979)
Screw connection
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP) (EF005474)
IP20
Rated control supply voltage AC 60 Hz (EF003979)
120 V
Supporting protocol for SafetyBUS p (EF007527)
No
Supporting protocol for PROFI-safe (EF007526)
No
Supporting protocol for PROFINET IO (EF007525)
No
Supporting protocol for PROFINET CBA (EF007524)
No
Supporting protocol for Foundation Fieldbus (EF007522)
No
Supporting protocol for EtherNet/IP (EF007521)
No
Supporting protocol for DeviceNet Safety (EF007520)
No
Supporting protocol for AS-I...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 11BGR1201A12060 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.