

INDUSTRIAL COMPONENT DATA

PLNU1AW LOVATO METAL LIMIT SWITCH, PL SERIES, TOP PUSH ROD PLUNGER, CONTACTS 2NC. IP40

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PLNU1AW



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PLNU1AW
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-FB87CAD28A
Generated	2026-08-06

Product Overview

METAL LIMIT SWITCH, PL SERIES, TOP PUSH ROD PLUNGER, CONTACTS 2NC. IP40

1NO+1NC TOP PUSH ROD PLUNGER LIMIT SWITC

Metal limit switch, PL series, top push rod plunger. Contacts 1NO.1NC. IP65

PL SERIES METAL LIMIT SWITCH, ROD, 2NC CONTACTS. IP40

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

PLNU1AW

Metal limit switch, PL series, top push rod plunger. Contacts 1NO.1NC. IP65

Technical specifications

Type of product:Metal and plastic limit switchesProduct characteristics:Top push rod plungerHousing

material:Aluminium-zinc alloyType of contacts:1NO+1NCCable entry:PG11 with cable glandOrder code PLNU1AW

Weight [g] 276

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 088X055X120

Volume [cm³] 580.8

Bar code [EAN13] 8013975078501

HS Code 85365080

57.87 £

ETIM for PLNU1AW Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller cam

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

1

Number of contacts as normally closed contact (EF...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PLNU1AW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.