

INDUSTRIAL COMPONENT DATA

7GN1291U12 GN1291U12 LOVATO ROTARY CAM SWITCHE, GN SERIES, U12 VERSION FRONT MOUNT WITH KEY OPERATION FOR 22..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN1291U12



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN1291U12
Catalog number	GN1291U12
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-D34A691C25
Generated	2026-07-31

Product Overview

ROTARY CAM SWITCHE, GN SERIES, U12 VERSION FRONT MOUNT WITH KEY OPERATION FOR 22MM CENTRAL FIXING. ON/OFF SWITCH, TWO-POLE - 1 WAFER - SCHEME 91, 16A

Interruptor II GN91 16A Mod. U12 Key Ø22

Rotary cam switch 7GN series, ON-OFF switch 2 poles 16A, for front mounting without front plate with key operation for hole Ø22mm fixing

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN1291U12

Rotary cam switch 7GN series, ON-OFF switch 2 poles 16A, for front mounting without front plate with key operation for hole Ø22mm fixing

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:91 - ON/OFF switch 2 polesIEC Conventional free air thermal current Ith [A]:16Mounting form:U12 - Front mounting without front plate with key operation for hole diam. 22mm fixingSeries:7GN - round-shaped contact blockOrder code 7GN1291U12

Weight [g] 100

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X085X050

Volume [cm³] 212.5

Bar code [EAN13] 3850144003958

HS Code 85365080

40.6 £

ETIM for 7GN1291U12 Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Key

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

2

Rated permanent current I_u (EF001389)

16 A

Rated operation power at AC-3, 400 V (EF001364)

4 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN1291U12 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.