

## INDUSTRIAL COMPONENT DATA

# GX1691U11 LOVATO ROTARY CAM SWITCHE, GX SERIES, U11 VERSION FRONT MOUNT WITH HANDLE OPERATION, FOR CENTRAL 2..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1691U11



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | GX1691U11       |
| Catalog number  | 10000           |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-8CEDC28B45   |
| Generated       | 2026-08-02      |

## Product Overview

ROTARY CAM SWITCHE, GX SERIES, U11 VERSION FRONT MOUNT WITH HANDLE OPERATION, FOR CENTRAL 22MM FIXING. ON/OFF SWITCH, TWO-POLE - 1 WAFER - SCHEME 91, 16A

2P 2POS.SWITCH FRN/MNTG HANDLE D22MM

Rotary cam switch GX series, ON-OFF switch 2 poles 16A, for front mounting with black handle without front plate for hole Ø22mm fixing

ROTARY CAM SWITCH GX SERIES, ON-OFF SWITCH 2 POLES 16A, FOR FRONT MOUNTING WITH BLACK HANDLE WITHOUT FRONT PLATE FOR HOLE DIAM. 22MM FIXING

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

## Additional Product Information

GX1691U11

Rotary cam switch GX series, ON-OFF switch 2 poles 16A, for front mounting with black handle without front plate for hole Ø22mm fixing

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:91 - ON/OFF switch 2 polesIEC Conventional free air thermal current Ith [A]:16Mounting form:U11 - Front mounting with black handle without front plate for hole diam. 22mm fixingSeries:GX - square-shaped contact blockOrder code GX1691U11

Weight [g] 100  
Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 050X068X082  
Volume [cm³] 278.8  
Bar code [EAN13] 8013975100837  
HS Code 85365080  
31.4 £  
ETIM for GX1691U11 Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Short thumb-grip  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP65  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
On/Off switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
Yes  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
2  
Rated permanent current I<sub>u</sub> (EF001389)  
16 A  
Rated operation power at AC-3, 400 V (EF001364)  
4.5 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1691U11 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.