

INDUSTRIAL COMPONENT DATA

GX1612U LOVATO ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, STAR-DELTA SWITCHES. 4 WA..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1612U



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX1612U
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-AECAE3822E
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, STAR-DELTA SWITCHES. 4 WAFERS - SCHEME 12, 16A

3 POS.STAR-DELTA CHANGEOVER GX 16 SWITCH

Rotary cam switch GX series, star-delta motor starter switch 16A, for front mounting with black handle, front plate 48X48mm
ROTARY CAM SWITCH GX SERIES, STAR-DELTA MOTOR STARTER SWITCH 16A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

GX1612U

Rotary cam switch GX series, star-delta motor starter switch 16A, for front mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Motor starting switchesSwitching diagram:12 - Star-delta motor starter switchIEC Conventional free air thermal current I_{th} [A]:16Mounting form:U - Front mounting with black handleSeries:GX - square-shaped contact blockOrder code GX1612U

Weight [g] 176

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099

Volume [cm³] 336.6

Bar code [EAN13] 8013975100493

HS Code 85365080

43.53 £

ETIM for GX1612U Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

Star-delta switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

8

Rated permanent current I_u (EF001389)

16 A

Rated operation power at AC-3, 400 V (EF001364)

4.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1612U with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.