

INDUSTRIAL COMPONENT DATA

7GN2510P GN2510P LOVATO ROTARY CAM SWITCHE, GN SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF S..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2510P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN2510P
Catalog number	GN2510P
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-86360386A4
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCHE, GN SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, THREE POLES - SCHEME 10, 25A

Switch 3 poles GN10 25 A Model P 75x75

Enclosed rotary cam switch 7GN series, ON-OFF switch 3 poles 25A in plastic enclosure 75X75mm with black handle

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN2510P

Enclosed rotary cam switch 7GN series, ON-OFF switch 3 poles 25A in plastic enclosure 75X75mm with black handleType of product:ON/OFF switches

Switching diagram:10 - ON/OFF switch 3 poles

Conventional free air thermal current Ith IEC/EN:25

Mounting form:P - Plastic enclosure with black handle

Series:7GN - round-shaped contact block

Order code 7GN2510P

Weight [g] 258

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 086X086X125
Volume [cm³] 924.5
Bar code [EAN13] 3850144004801
HS Code 85365080
54.8 £
ETIM for 7GN2510P Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP40
Housing material (EF001596)
Plastic
Model (EF000010)
On/Off switch
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
4
Rated permanent current I_u (EF001389)
25 A
Rated operation power at AC-3, 400 V (EF001364)
7.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2510P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.