

## INDUSTRIAL COMPONENT DATA

# GX1610P25 LOVATO ROTARY CAM SWITCH, GX SERIES, P25 VERSION IN ENCLOSURE WITH PADLOCKABLE ROTATING HANDLE. O..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1610P25



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | GX1610P25       |
| Catalog number  | 10000           |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-B08630FCC3   |
| Generated       | 2026-08-03      |

## Product Overview

ROTARY CAM SWITCH, GX SERIES, P25 VERSION IN ENCLOSURE WITH PADLOCKABLE ROTATING HANDLE.

ON/OFF SWITCH, THREE POLES - SCHEME 10, 16A

3P 2POS SWITCH GX16 IN ENCLOSURE

Enclosed rotary cam switch GX series, ON-OFF switch 3 poles 16A in plastic enclosure 90X90mm with red/yellow handle

ENCLOSED ROTARY CAM SWITCH GX SERIES, ON-OFF SWITCH 3 POLES 16A IN PLASTIC ENCLOSURE 90X90MM WITH RED/YELLOW HANDLE

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

## Additional Product Information

GX1610P25

Enclosed rotary cam switch GX series, ON-OFF switch 3 poles 16A in plastic enclosure 90X90mm with red/yellow handle

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:10 - ON/OFF switch 3 polesIEC Conventional free air thermal current

Ith [A]:16Mounting form:P25 - Plastic enclosure with red/yellow handleSeries:GX - square-shaped contact blockOrder code

GX1610P25

Weight [g] 340

Qty. per package 1

Multiple qty. of packs per order 1  
Package dimensions [mm] 050X068X082  
Volume [cm<sup>3</sup>] 278.8  
Bar code [EAN13] 8013975100417  
HS Code 85365080  
47.22 £  
ETIM for GX1610P25 Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Short thumb-grip  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP65  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
On/Off switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
No  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
4  
Rated permanent current I<sub>u</sub> (EF001389)  
16 A  
Rated operation power at AC-3, 400 V (EF001364)  
4.5 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1610P25 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.