

## INDUSTRIAL COMPONENT DATA

# GX3210U25 LOVATO ROTARY CAM SWITCH, GX SERIES, U25-U65 VERSIONS FRONT MOUNT WITH RED/YELLOW PADLOCK SYSTEM...

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX3210U25



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | GX3210U25       |
| Catalog number  | 10000           |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-16C537AEE2   |
| Generated       | 2026-08-02      |

## Product Overview

ROTARY CAM SWITCH, GX SERIES, U25-U65 VERSIONS FRONT MOUNT WITH RED/YELLOW PADLOCK SYSTEM. ON/OFF SWITCH, THREE-POLE - 2 WAFERS - SCHEME 10, 32A

III GX10 32A Switch Mod. U25 65x65

Rotary cam switch GX series, ON-OFF switch 3 poles 32A, for front mounting with red/yellow handle padlockable in 0 and protection covers, front plate 65X65mm

ROTARY CAM SWITCH GX SERIES, ON-OFF SWITCH 3 POLES 32A, FOR FRONT MOUNTING WITH RED/YELLOW HANDLE PADLOCKABLE IN 0 AND PROTECTION COVERS, FRONT PLATE 65X65MM

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

## Additional Product Information

GX3210U25

Rotary cam switch GX series, ON-OFF switch 3 poles 32A, for front mounting with red/yellow handle padlockable in 0 and protection covers, front plate 65X65mm

Technical specifications

Type of product: ON/OFF switches  
Switching diagram: 10 - ON/OFF switch 3 poles IEC Conventional free air thermal current  
Ith [A]: 32  
Mounting form: U25 - Front mounting with red/yellow handle padlockable in 0 and protection covers  
Series: GX - square-shaped contact block  
Order code GX3210U25

Weight [g] 254  
Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 068X068X103  
Volume [cm³] 476.272  
Bar code [EAN13] 8013975103814  
HS Code 85365080  
59.57 £  
ETIM for GX3210U25 Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Short thumb-grip  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP65  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
On/Off switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
Yes  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
4  
Rated permanent current I<sub>u</sub> (EF001389)  
32 A  
Rated operation power at AC-3, 400 V (EF001364)  
11 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX3210U25 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.