

INDUSTRIAL COMPONENT DATA

GX2010U11 LOVATO 3-pole switch 20A Model GX10 U11 Ø 22mm

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX2010U11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX2010U11
Catalog number	10000
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-FF03C451CD
Generated	2026-08-02

Product Overview

3-pole switch 20A Model GX10 U11 Ø 22mm

3-pole switch GX10 20 A Mod. U11 Ø 22mm

Rotary cam switch GX series, ON-OFF switch 3 poles 20A, for front mounting with black handle without front plate for hole Ø22mm fixing

ROTARY CAM SWITCH GX SERIES, ON-OFF SWITCH 3 POLES 20A, FOR FRONT MOUNTING WITH BLACK HANDLE WITHOUT FRONT PLATE FOR HOLE DIAM. 22MM FIXING

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC**

Additional Product Information

GX2010U11

Rotary cam switch GX series, ON-OFF switch 3 poles 20A, for front mounting with black handle without front plate for hole Ø22mm fixing

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:10 - ON/OFF switch 3 polesIEC Conventional free air thermal current Ith [A]:20Mounting form:U11 - Front mounting with black handle without front plate for hole diam. 22mm fixingSeries:GX - square-shaped contact blockOrder code GX2010U11

Weight [g] 87

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X082

Volume [cm³] 278.8

Bar code [EAN13] 8013975105801

HS Code 85365080

Discover more about LOVATO Electric rotary cam switches

ETIM for GX2010U11 Low-voltage industrial controls and switchgear (EC001029)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Material front ring (EF005972)

Plastic

Degree of protection (IP) (EF005474)

IP65

Type of electric connection (EF003961)

Screw connection

With front ring (EF006014)

No

With light source (EF005905)

No

Spring-return (EF001407)

No

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

2

Number of contacts as normally closed contact (EF008255)

0

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of switch positions (EF000231)

2

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX2010U11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.