

INDUSTRIAL COMPONENT DATA

GX1611P LOVATO ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. MOTOR SWITCH, THR..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1611P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX1611P
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-2192059F62
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. MOTOR SWITCH, THREE-POLE REVERSING SWITCHES - SCHEME 11, 16A

3P 3POS ON/OFF SWITCH GX1611P IN ENCLOSURE

Enclosed rotary cam switch GX series, 3-phase motor reversing switch 16A in plastic enclosure 90X90mm with black handle

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

GX1611P

Enclosed rotary cam switch GX series, 3-phase motor reversing switch 16A in plastic enclosure 90X90mm with black handle

Technical specifications

Type of product: Motor starting switches
Switching diagram: 11 - 3-phase motor reversing switch
IEC Conventional free air thermal current I_{th} [A]: 16
Mounting form: P - Plastic enclosure with black handle
Series: GX - square-shaped contact

block
Order code GX1611P

Weight [g] 405

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 050X068X099
Volume [cm³] 336.6
Bar code [EAN13] 8013975100462
HS Code 85365080
48.84 £
ETIM for GX1611P Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP65
Housing material (EF001596)
Plastic
Model (EF000010)
Reverser
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
6
Rated permanent current I_u (EF001389)
16 A
Rated operation power at AC-3, 400 V (EF001364)
4.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1611P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.