

INDUSTRIAL COMPONENT DATA

GX2053U11 LOVATO Switch "1-0-2" 3-pole 20A Model GX53 U11 Ø 22mm

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX2053U11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX2053U11
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-B07F748F23
Generated	2026-08-05

Product Overview

Switch "1-0-2" 3-pole 20A Model GX53 U11 Ø 22mm

"1-0-2" 3-pole GX53 20 A Mod. U11 Ø 22mm

Rotary cam switch GX series, changeover switch 3 poles 20A, for front mounting with black handle without front plate for hole Ø22mm fixing

ROTARY CAM SWITCH GX SERIES, CHANGEOVER SWITCH 3 POLES 20A, FOR FRONT MOUNTING WITH BLACK HANDLE WITHOUT FRONT PLATE FOR HOLE DIAM. 22MM FIXING

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

GX2053U11

Rotary cam switch GX series, changeover switch 3 poles 20A, for front mounting with black handle without front plate for hole Ø22mm fixing

Technical specifications

Type of product:Changeover switchesSwitching diagram:53 - Changeover switch 3 poles - 2 speed motor starting with separate windingsIEC Conventional free air thermal current Ith [A]:20Mounting form:U11 - Front mounting with black handle without front plate for hole diam. 22mm fixingSeries:GX - square-shaped contact blockOrder code GX2053U11

Weight [g] 148

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm]

Volume [cm³] 0

Bar code [EAN13] 3850144161993

HS Code 85365080

ETIM for GX2053U11 Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

6

Rated permanent current I_u (EF001389)

20 A

Rated operation power at AC-3, 400 V (EF001364)

5.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX2053U11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.