

INDUSTRIAL COMPONENT DATA

GX1653U11 LOVATO Switch "1-0-2" 3-pole 16A Model GX53 U11 Ø 22mm

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1653U11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX1653U11
Catalog number	10000
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-B1427401E0
Generated	2026-08-03

Product Overview

Switch "1-0-2" 3-pole 16A Model GX53 U11 Ø 22mm

"1-0-2" 3-pole GX53 16 A Mod. U11 Ø 22mm

Rotary cam switch GX series, changeover switch 3 poles 16A, for front mounting with black handle without front plate for hole Ø22mm fixing

ROTARY CAM SWITCH GX SERIES, CHANGEOVER SWITCH 3 POLES 16A, FOR FRONT MOUNTING WITH BLACK HANDLE WITHOUT FRONT PLATE FOR HOLE DIAM. 22MM FIXING

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

GX1653U11

Rotary cam switch GX series, changeover switch 3 poles 16A, for front mounting with black handle without front plate for hole Ø22mm fixing

Technical specifications

Type of product:Changeover switchesSwitching diagram:53 - Changeover switch 3 poles - 2 speed motor starting with separate windingsIEC Conventional free air thermal current Ith [A]:16Mounting form:U11 - Front mounting with black handle without front plate for hole diam. 22mm fixingSeries:GX - square-shaped contact blockOrder code GX1653U11

Weight [g] 150

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099
Volume [cm³] 336.6
Bar code [EAN13] 8013975150788
HS Code 85365080
ETIM for GX1653U11 Low-voltage industrial controls and switchgear (EC001029)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Material front ring (EF005972)
Plastic
Degree of protection (IP) (EF005474)
IP65
Type of electric connection (EF003961)
Screw connection
With front ring (EF006014)
No
With light source (EF005905)
No
Spring-return (EF001407)
No
Suitable for lighting (EF001142)
No
Number of contacts as change-over contact (EF008257)
0
Number of contacts as normally open contact (EF008256)
3
Number of contacts as normally closed contact (EF008255)
0
Height opening (EF004778)
22 mm
Width opening (EF004565)
22 mm
Number of switch positions (EF000231)
3
Hole diameter (EF000079)
22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1653U11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.