

INDUSTRIAL COMPONENT DATA

GX4053P LOVATO ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. CHANGEOVER SWITCH..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX4053P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX4053P
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-3C25C7C617
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. CHANGEOVER SWITCH, THREE POLES - SCHEME 53, 40A

3P 3POS.CHANGEOVER W/O W/HOUSING

Enclosed rotary cam switch GX series, changeover switch 3 poles 40A in plastic enclosure 110X110mm with black handle
ENCLOSED ROTARY CAM SWITCH GX SERIES, CHANGEOVER SWITCH 3 POLES 40A IN PLASTIC ENCLOSURE 110X110MM WITH BLACK HANDLE

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

GX4053P

Enclosed rotary cam switch GX series, changeover switch 3 poles 40A in plastic enclosure 110X110mm with black handle

Technical specifications

Type of product:Changeover switchesSwitching diagram:53 - Changeover switch 3 poles - 2 speed motor starting with separate windingsIEC Conventional free air thermal current Ith [A]:40Mounting form:P - Plastic enclosure with black handleSeries:GX - square-shaped contact blockOrder code GX4053P

Weight [g] 710

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 118X118X171
Volume [cm³] 2381.004
Bar code [EAN13] 8013975104255
HS Code 85365080
137.49 £
ETIM for GX4053P Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP65
Housing material (EF001596)
Plastic
Model (EF000010)
On/Off switch
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
6
Rated permanent current I_u (EF001389)
40 A
Rated operation power at AC-3, 400 V (EF001364)
15 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX4053P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.